

HIGH SPIN WASHER

THE MOST EFFICIENT FOR THE MOST DEMANDING CUSTOMERS

WED 11
WED 14
WED 18

FEATURES

- High spin washer extractor. No need to be anchored to the floor.
- G Force 450.
- Body, drum and tub in stainless steel.
- Detergent dispenser with 4 compartments.
- 8 signals for automatic liquid dosing, programmable in time and delay.
- 3 water inlets.
- These machines have electronic control of imbalance with frequency inverter, that detects the unbalanced load before spinning. Standard frequency: 50 - 60 Hz.
- New microprocessor EASY TOUCH with touch screen. 26 preset programs.
- Possibility of programming, exporting and importing programs without limit, software updates, through USB port, using USB drive.
- Traceability standard: All washing process (temperatures, water levels) is stored in the washer and can be extracted to a PC by means of a USB drive.
- RS-485 serial communication port for monitoring / remote management.
- Wet Cleaning standard in the microprocessor: fully adjustable water levels and washing speed for delicate.
- Optimal loading standard to optimize water and chemicals consumptions.
- LOADING AID feature with water and rotation control for easy loading of the linen.
- Self-service version available by installing a central pay or coin meter on the standard model.
- CE, WRAS and GOST approved product. Optional version for ETL certified product.



OPTIONS

- Double drain kit, allow the recovery of the water, with important water savings. For models WED14 and WED18.
- Leveling feet.
- Drain pump kit for models WED11 and WED14.
- Bottom cover and plinth for loading height 850 mm from door bottom.
- Bottom cover and plinth for having same height in washers.
- Relay card with 6 extra dosing signals: total of 14 signals in the machine.
- Weighing System. Weighing sensor system on feet.
- Steam kit to transform an electric or hot water heated machine into steam version.
- Self-Service Kits: Coiner and box; Central pay; Delayed opening door option in case of power outage.
- Ship voltage for electric models: 440V III 50/60 Hz No neutral or 480V III 50/60 Hz No neutral.



Charge optimale



Inox



Eau chaude et Eau froide



Inverter



3 arrivées d'eau



Installation et maintenance aisées



Tambour efficace




Wet cleaning



Pesage

TECHNICAL DATA	UNIT.	WED11	WED14	WED18
DRUM				
Load capacity 1:9 / 1:10	Kg	11/10	14/13	20/18
Volume	l	100	130	180
Diameter	mm	532	620	700
Depth	mm	425	430	470
GENERAL DETAILS				
Washing speed / Spining speed	r.p.m.	50/1.245	50/1.150	47/1.080
G Factor	-	450	450	450
Self-service version	-	Yes	Yes	Yes
Double drain	-	No	Opt	Opt
Weighing System / Tilting System	-	Opt/No	Opt/No	Opt/No
DOOR				
Height center door / Height base door	mm	625/415	700/440	750/510
Diameter	mm	290	373	373
POWER				
Motor	kW	0,75	1,5	2,2
Heating (Electric model)	kW	6	9	12
Max. power (Electric model)	kW	6,25	9,5	12,75
Max. power (steam and hot water)	kW	0,75	1,5	2,2
CONNECTIONS				
Water inlet	inch	3/4"	3/4"	3/4"
Steam inlet	inch	1 / 2"	1/2"	1/2"
Drain	mm/inch	80/3"	80/3"	80/3"
Maximum water consumption	Lit/h	135	168	218
Water main pressure	Kgs/cm ²	2-4	2-4	2-4
Tension 230V - I + N	-	2x10+T - 32A	Opt 2x16+T - 63A	Opt 2x25+T - 100A
Tension 230V - III	-	3x4+T - 32A	3x6+T - 40A	3x10+T - 63A
Tension 400V - III + N	-	4x1,5+T - 16A	4x2,5+T - 25A	4x4+T - 32A
DIMENSIONS / PACKING DIMENSIONS				
Width / Width	mm	692/730	788/830	884/930
Depth / Depth	mm	788/1.000	870/1.010	914/1.030
Height / Height	mm	1.158/1.410	1.301/1.560	1.409/1.700
Net weight / Gross weight	kg	230/239	250/283	360/393
Volume	m ³	1,03	1,31	1,63



- 01. Soap dispenser
- 02. Emergency stop
- 03. Usb port
- 04. Drain
- 05. Electric connection to liquid soap pumps
- 06. Electrical connection
- 07. Main switch
- 08. Auxiliar water inlet
- 09. Hot water inlet
- 10. Ground connection
- 11. Cold water inlet
- 12. Blur output / water overload
- 13. Liquid soap connection
- 14. Steam connection

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S
WED11	692	788	1158	408	290	93	355	886	1055	940	1053	1073	61	74	101	413	468	610	623
WED14	788	869	1307	427	373	130	385	1035	1203	1067	1202	1222	61	74	101	494	554	706	714
WED18	884	913	1415	490	373	99	390	1143	1207	1166	1331	1331	61	74	101	437	517	769	810