Printing date 12.03.2015

Version number 1



Revision: 12.03.2015

SECTION 1: Identification of the substance/mixture and of the company/ undertaking · 1.1 Product identifier Trade name: Intense 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) · Application of the substance / the mixture Dry-cleaning Solvents · 1.3 Details of the supplier of the safety data sheet Manufacturer/Supplier: SEITZ GmbH Gutenbergstrasse 3 65830 Kriftel / Germany Tel. + 49(0) 6192-9948-0 Fax + 49(0) 6192-9948-99 msds@seitz24.com www.seitz24.com Further information obtainable from: msds@seitz24.com · 1.4 Emergency telephone number: GIZ-Nord, Göttingen, Germany + 49 551 19240 (Member of EPECS) **SECTION 2: Hazards identification** · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 GHS08 health hazard Asp. Tox. 1 H304 May be fatal if swallowed and enters airways. Classification according to Directive 67/548/EEC or Directive 1999/45/EC Xn; Harmful R65: Harmful: may cause lung damage if swallowed. · 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation. Hazard pictograms GHS08 · Signal word Danger · Hazard-determining components of labelling: Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics Hazard statements H304 May be fatal if swallowed and enters airways. · Precautionary statements P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor. P331 Do NOT induce vomiting. (Contd. on page 2) GB



Printing date 12.03.2015

Version number 1

Revision: 12.03.2015

(Contd. of page 1)

Trade name: Intense

· 2.3 Other hazards

Results of PBT and vPvB assessment

• **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

angaraus components

· Dangerous components:		
EC number: 927-285-2 Reg.nr.: 01-2119480162-45-xxxx	Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics Xn R65 R66 Asp. Tox. 1, H304	50 - 75%
· Regulation (EC) No 648/2004 - Labelling for contents		
aliphatic hydrocarbons $\geq 30\%$		≥ 30%

· Additional information For the wording of the listed risk phrases refer to section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- · General information Immediately remove any clothing soiled by the product.
- · After inhalation

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

· After skin contact

Immediately wash with water and soap and rinse thoroughly.

- If skin irritation continues, consult a doctor.
- · After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. · After swallowing

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; call for medical help immediately.

- · 4.2 Most important symptoms and effects, both acute and delayed
- No further relevant information available. · Information for doctor
- In case of swallowing followed by vomitting aspiration into lungs may occur, which may lead to chemical pneumonia or suffocation.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents

CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with full jet.
- · 5.2 Special hazards arising from the substance or mixture
- Formation of toxic gases is possible during heating or in case of fire.
- · 5.3 Advice for firefighters
- · Protective equipment:

Do not inhale explosion gases or combustion gases. Wear self-contained respiratory protective device.

(Contd. on page 3)

GB

Version number 1



Revision: 12.03.2015

(Contd. of page 2)

Trade name: Intense

Printing date 12.03.2015

· Additional information

Cool endangered receptacles with water spray.

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
 Wear protective equipment. Keep unprotected persons away.
 Avoid contact with skin and eyes.
 Ensure adequate ventilation
 Do not breathe gases/ vapours.
 Keep away from ignition sources

 6.2 Environmental precautions:
 Do not allow product to reach sewage system or any water course.
 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose of the material collected according to regulations.

• 6.4 Reference to other sections See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling Keep away from heat and direct sunlight. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Avoid contact with eyes and skin. Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air). Information about fire - and explosion protection: Keep ignition sources away - Do not smoke. Protect against electrostatic charges. Formation of explosive vapour- / air mixture possible.
 7.2 Conditions for safe storage, including any incompatibilities Storage Requirements to be met by storerooms and receptacles: Store only in the original receptacle. Provide solvent resistant, sealed floor. Information about storage in one common storage facility: Store away from foodstuffs. Further information about storage conditions: Protect from heat and direct sunlight. Store in cool, dry conditions in well sealed receptacles.

Store receptacle in a well ventilated area.

Protect from frost.

Time of storage: max. 24 month

7.3 Specific end use(s) Dry-cleaning

SECTION 8: Exposure controls/personal protection

· Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

GB



Printing date 12.03.2015

Melting point/Melting range:

Boiling point/Boiling range:

· Flammability (solid, gaseous)

· Decomposition temperature:

· Ignition temperature:

· Flash point:

Version number 1

Revision: 12.03.2015

Trade name: Intense

	(Contd. of page 3)			
· 8.2 Exposure controls				
· Personal protective equipment				
· General protective and hygienic				
	s are to be adhered to when handling chemicals.			
Keep away from foodstuffs, beverages and feed.				
	mediately remove all soiled and contaminated clothing.			
Do not eat, drink, smoke or sniff w				
Wash hands before breaks and at				
Do not inhale gases / vapours / ae				
Avoid contact with the eyes and s	kin.			
Respiratory protection:				
	e device in case of insufficient ventilation (exceeding the			
workplace limit values, formation of	of aerosols).			
Filter A				
Protection of hands:				
Solvent resistant gloves				
	ermeable and resistant to the product/ the substance/ the			
preparation.				
• Material of gloves				
Nitrile rubber, NBR				
	es does not only depend on the material, but also on further marks			
of quality and varies from manufacturer to manufacturer. As the product is a preparation of several				
substances, the resistance of the glove material can not be calculated in advance and has				
	therefore to be checked prior to the application.			
Penetration time of glove mater The exact break trough time has t	o be found out by the manufacturer of the protective gloves and			
has to be observed.	o be found out by the manufacturer of the protective gloves and			
	oves made of the following materials are suitable:			
Nitrile rubber, NBR	oves made of the following materials are suitable.			
Recommended thickness of the m	naterial: > 0.4 mm			
• Eye protection: Safety glasses				
Body protection: Protective work	clothing			
SECTION 9: Physical and o	chemical properties			
· 9.1 Information on basic physic	al and chemical properties			
 General Information 				
· Appearance:				
Form:	Fluid			
Colour:	Colourless			
· Odour:	Product specific			
· Odour threshold:	No further relevant information available.			
· pH-value:	Not applicable.			
· Change in condition				
Melting point/Melting range:	not applicable			

not applicable

undetermined

64 °C (EN 22719)

No further relevant information available.

No further relevant information available.

No further relevant information available.

(Contd. on page 5)



Printing date 12.03.2015

Version number 1

Revision: 12.03.2015

Trade name: Intense

	(Contd. of page
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapour mixtures are possible.
Explosion limits:	
Lower:	No further relevant information available.
Upper:	No further relevant information available.
Oxidising properties	No further relevant information available.
Vapour pressure:	No further relevant information available.
Density at 20 °C:	~ 0.80 g/cm3 (ISO 2811)
Relative density	No further relevant information available.
Vapour density	No further relevant information available.
Evaporation rate	No further relevant information available.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix
Segregation coefficient (n-octonol/	water): No further relevant information available.
Viscosity:	
dynamic:	No further relevant information available.
kinematic:	No further relevant information available.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
 Stable under normal ambient conditions.
 No decomposition if used and stored according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known.
- **10.4 Conditions to avoid** Protect from heat and direct sunlight. Keep away from ignition sources
- **10.5 Incompatible materials:** Strong oxidizing agents Acids

Lyes

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

- \cdot 11.1 Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values relevant for classification:

Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics

Oral	LD50	> 5000 mg/kg (rat)
Dermal	LD50	> 5000 mg/kg (rabbit)

Inhalative LC50 > 5 mg/l (rat)

Primary irritant effect:

- \cdot on the skin: No irritant effect.
- \cdot on the eye: No irritating effect.
- \cdot Sensitisation: No sensitising effects known.

(Contd. on page 6)

⁻ GB



Printing date 12.03.2015

Version number 1

Revision: 12.03.2015

(Contd. of page 5)

Trade name: Intense

· Repeated dose toxicity No further relevant information available.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

No further relevant information available.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

Hydrocarbons, C11-C14, isoalkanes, cyclics, < 2% aromatics

EC50 (48h) > 1000 mg/l (Aquatic invertebrates)

EC50 (72h) > 1000 mg/l (Aquatic plants, algae)

LC50 (96h) > 1000 mg/l (Fish)

· 12.2 Persistence and degradability No further relevant information available.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:

· General notes:

Do not allow product to reach ground water, water course or sewage system.

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Disposal must be made according to official regulations.

· Waste disposal key:

The assignment of waste codes in accordance with European Waste Catalogue (EWC) is tradeand process-specific and has to be made in compliance with national and local regulations.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	

Printing date 12.03.2015

Version number 1

Trade name: Intense

	(Contd. of page
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Ann of MARPOL73/78 and the IBC Code 	Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	-

SECTION 15: Regulatory information

- \cdot 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · National regulations
- · Other regulations, limitations and prohibitive regulations
- Other information: Product is for professional use only.
- 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

- R65 Harmful: may cause lung damage if swallowed.
- R66 Repeated exposure may cause skin dryness or cracking.

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent Asp. Tox. 1: Aspiration hazard, Hazard Category 1 • * Data compared to the previous version altered.